



## CURRENT TOPIC / AKTUELNA TEMA

# Endodontic glide path – importance and performance techniques

Milica Jovanović-Medojević<sup>1</sup>, Miljan Stojić<sup>2</sup>, Vanja Opačić-Galić<sup>1</sup>, Violeta Petrović<sup>1</sup>

<sup>1</sup>University of Belgrade, School of Dental Medicine, Department for Restorative Dentistry and Endodontics, Belgrade, Serbia;

<sup>2</sup>University of Belgrade, School of Dental Medicine, Belgrade, Serbia

## SUMMARY

Glide path is a procedure that precedes mechanical instrumentation of the root canals. It is defined as a procedure used to expand or create a smooth tunnel from the coronal part of the root canal to its physiological terminus. It is performed using small-size hand files or specially designed mechanical NiTi instruments. An adequately created glide path extends the life of rotary NiTi instruments, enables better mechanical and chemical debridement and easier preservation of original morphology of endodontic space during further mechanical instrumentation.

Frequent use of mechanical instrumentation in daily practice requires better understanding of the glide path, its significance, and instruments and techniques used for its creation.

**Keywords:** glide path; hand K-files; rotary NiTi instruments

## INTRODUCTION

Modern endodontic therapy involves mechanical instrumentation of root canals with instruments made of nickel-titanium (NiTi) alloy, in accordance with modernized and adapted procedures based on Schilder's principles [1]. Due to superelasticity and unique design, NiTi rotary files enable more efficient and predictable cleaning and shaping of the root canals with less possibility of procedural errors when compared to manual instruments [2, 3, 4].

Nevertheless, flexural, and torsional stresses, especially in curved canals, may result in unexpected fractures of NiTi instruments during clinical use [1, 2, 3]. New techniques and instruments have been introduced to overcome this problem [5]. Special attention has been paid to the creation of the glide path, a procedure that precedes mechanical instrumentation, with the aim of reducing cyclic fatigue or torsional stress and safer use of NiTi rotary files during further shaping and cleaning of the canals [6, 7, 8].

However, the concept of glide path preparation in many endodontic schools is not clearly defined. Most world schools of dentistry do not include glide path preparation training in its courses.

[10] redefined this term as “clinical procedures to expand or create a smooth tunnel from the coronal part of the root canal to its physiological terminus before its final enlargement, aiming to control torsional stress and reduce the odds of NiTi instruments fracture.” Berutti et al. [11] and Patiño et al. [12] used the term ‘micro glide path’ for initial scouting/exploring and apical patency of the canal with small precurved stainless steel files using gentle watch-winding movements. In case of curved and obliterated canals, further enlarging is necessary, with manual or specially designed NiTi instruments, in order to create a ‘macro glide path’ [11, 12].

## SIGNIFICANCE OF THE GLIDE PATH

With the introduction of mechanical NiTi instruments into endodontic practice, the glide path gains special importance. Blum et al. [13] first proposed the formation of a smooth glide path using small flexible stainless steel hand files to facilitate the application of rotary NiTi endodontic instruments.

Berutti et al. [11] and Patiño et al. [12] observed that creating the glide path with hand files leads to a reduction in torsional stress and cyclic fatigue of rotary instruments. The formation of the glide path contributed to an increase in the average life of mechanical files almost six times and a drastic reduction in the risk of file breakage [11–14].

The glide path improves mechanical and chemical debridement, creating space for instruments and irrigants to process and disinfect endodontic space more easily and efficiently [7]. Glide path enables conical instrumentation

## GLIDE PATH – DEFINITION

The first definition of the term ‘glide path’ was given by West [9] in 2010, explaining that “the glide path is a smooth radicular tunnel from the coronal orifice of a root canal to the physiologic terminus (apical constriction).” Ruddle et al.

**Received • Примљено:**  
January 13, 2023

**Revised • Ревизија:**  
April 4, 2023

**Accepted • Прихваћено:**  
April 4, 2023

**Online first:** April 7, 2023

### Correspondence to:

Milica JOVANOVIĆ-MEDOJEVIĆ  
University of Belgrade  
School of Dental Medicine  
Department for Restorative Dentistry and Endodontics  
Rankeova 4  
11000 Belgrade, Serbia  
[medojevic.milica@gmail.com](mailto:medojevic.milica@gmail.com)

**Table 1.** Manual glide path instruments

Name (company)	Alloy	Design (cross section)	Sizes (ISO)	Motion (movement)
K-file (Kerr)	Stainless steel	Square	6, 8, 10, 15, 20	0.6–15 clockwise 20 combined clockwise and balanced force
C file (Dentsply/Tulsa)	Special thermal hardening steel	Twisted file	6, 8, 10	Clockwise
C+ file (Dentsply/Maillefer)	Special thermal hardening steel	Square	6, 8, 10, 15	Clockwise
D finder (Mani)	Stainless steel	D-shaped	8, 10, 12, 15	Clockwise
Hi-5 file (Miltex)	Stainless steel	Pentagon	6, 8, 10, 15	Clockwise
Pathfinder CS (SybronEndo)	Stainless steel	Square	7 (K1) 9 (K2)	Clockwise
S finder (JS Dental)	Stainless steel	Incomplete circle with two parallel straight edges	8	Clockwise
C-Pilot files (VDW)	Special thermal hardening steel	Square; inactive Pilot tip	6, 8, 10, 12.5, 15	Clockwise
FlexoFiles (Dentsply/Maillefer)	Stainless steel	06–10 square; 15–20 triangular	6, 8, 10, 12, 15, 17, 20	Clockwise
Sensus FlexoFiles (Dentsply/Maillefer)	Stainless steel	06–10 square; 15–20 triangular	6, 8, 10, 15, 20	Clockwise

ISO – International Organization for Standardization

while preserving the original position of apical foramen, so 3D obturation is more certain [8, 15, 16].

Numerous studies have indicated reduced extrusion of apical debris if glide path creation preceded mechanical instrumentation [16, 17, 18]. Detritus extrusion into periapical tissue negatively affects the success of endodontic therapy, consequently leading to postoperative pain and persistent inflammation [19].

Glide path significantly contributes to easier preservation of original morphology of the endodontic space in all aspects (curvature, volume dimension, and centering) during mechanical instrumentation [15–19].

Thus, the importance of the glide path is primarily in increasing the safety and efficiency during the use of rotary NiTi instruments in the following stages of endodontic therapy [6, 7, 8, 12, 20].

## THE SIZE AND SHAPE OF THE GLIDE PATH

Properly created glide path faithfully reflects the appearance of original morphology of the root canal, and can be short or long, narrow, or wide, straight, or curved [10].

For efficient and safe preparation of root canals, it is very important to establish adequate glide path dimensions. The minimum size of glide path according to West [9] is ISO 0.10. More precisely, after the formation of the glide path, the dimensions of the canal should correspond or be one size larger than the size of the tip of the first NiTi rotary instrument used for canal instrumentation [11]. This facilitates application and activation of rotary, extremely flexible NiTi instruments that usually have a non-cutting tip [21].

## GLIDE PATH PREPARATION TECHNIQUES

The creation of a glide path can be realized with manual or mechanical instruments.

The use of hand files with smaller diameter is a standard, long-standing procedure that maintains better tactile sensation, less possibility of instrument fracture and easier overcoming of canal obstructions. Due to the retention of shape after removal from the canal, the hand files provide information to the operator about the curvature and complexity of the canal [22].

Apart from K-files, which are the instruments most commonly used for initial patency and creation of the micro glide path, other hand instruments can also be used (Table 1).

Disadvantages of manual techniques are hand fatigue, fatigue of the operator, longer duration of procedure, risk of procedural errors, greater chances for changing original canal anatomy and increased apical extrusion [14].

In order to avoid errors of a manually created glide path, special and innovative mechanical NiTi instruments are being introduced. Those instruments were launched for the macro glide path and the first system appeared in 2009 (PathFiles, Dentsply Sirona, Charlotte, NC, USA) [7].

Mechanical glide path instruments with their basic characteristics and methods of application are presented in Table 2 [8].

The first mechanical glide path systems were made from a conventional, austenitic, superelastic alloy with full rotation activation, and were suitable for preparation of straight or slightly curved canals. Instruments with different dimensions and conicity were also launched [14].

Glide path systems were further developed with the aim of reducing the number of instruments, which decreases the possibility of errors and significantly speeds up the procedure [7, 8]. Also, the emergence of new technological solutions, design modifications and transformation of conventional NiTi alloy and different thermal treatments led to the optimization of microstructure and resistance to cyclic fatigue of glide path instruments [20, 21]. The improvement of cutting efficiency, passability and flexibility of glide path systems (especially in curved canals)

**Table 2.** Mechanical glide path instruments\*

Name (company)	Alloy	Sizes (ISO) Taper	Speed and torque	Method of use
PathFiles (Dentsply Sirona)	NiTi	1–13, 2% 2–16, 2% 3–19, 2%	CR 300 rpm 5 N/cm	Used in sequence after hand file ISO 10
RaCe ISO 10 (FKG Dentaire)	NiTi Electrochemical polishing	1–10, 2% 2–16, 4% 3–10, 6%	CR 600–800 rpm 1.5 N/cm	Used in sequence after hand ISO 06 and 08
ScoutRaCe (FKG Dentaire)	NiTi Electrochemical polishing	1–10, 2% 2–15, 2% 3–20, 2%	CR 600–800 rpm 1.5 N/cm	Used after estimated working length with hand ISO 06 - 08
G-Files (Micro-Mega, Besançon, France)	NiTi	G1–12, 3% G2–17, 3%	CR 250–400 rpm 1.2 N/cm	Used in sequence after hand file ISO 10
ProGlider (Dentsply Sirona)	NiTi M-Wire	1–16, progressive tapers 2–8%	CR 300 rpm 2–5 N/cm	Used after estimated working length with hand file ISO 10
Instrument One G (Micro-Mega)	NiTi	1–14, 3%	CR 250–400 rpm 1.2 N/cm	Used after estimated working length with hand file ISO 10
X-Plorer Canal Navigation NiTi Files (Clinician's Choice Dental Products Inc.)	NiTi	1–15, 1% 2–20, 1% 3–20, 2% 4–25, 2%	CR 400 rpm 2 N/cm	Used after estimated working length with hand file ISO 8 or 10
Hyflex Glide Path File Sequence (Coltene)	1-NiTi 2&3 NiTi CM-Wire	1–15, 1% 2–15, 2% 3–20, 2%	CR 300 rpm 1.8 N/cm	Used after estimated working length with hand file ISO 10
Hyflex EDM Glide Path (Coltene)	NiTi CM-Wire EDM process	10, 5%	CR 300 rpm 1.8 N/cm	Used after estimated working length with hand file ISO 10
PathGlider AK03 (Komet, GmbH)	NiTi	15, 3% 20, 3%	CR 300 rpm 0.5 N/cm	Used after estimated working length with hand file ISO 10
R-Pilot (VDW)	NiTi M-Wire	12.5, 4%	Reciprocating motions at Reciprocating settings	Used after estimated working length with hand ISO 06 and 08
WaveOne Gold Glider (Dentsply Sirona)	NiTi Gold heat treated	15, variable tapers from 2%	Reciprocating motions at WaveOne settings	Used after estimated working length with hand file ISO 10

\*Modified table of Ajina et al. [8];

ISO – International Organization for Standardization; NiTi – nickel titanium conventional alloy; M – memory NiTi alloy; CM – controlled memory NiTi alloy; EDM – electrical discharge machining NiTi alloy; CR – continuous rotation

was achieved by manufacturing instruments from a martensitic alloy [23, 24].

Different activation techniques of glide path instruments (full rotation or reciprocating motion) were introduced with the aim of improving blade efficiency and resistance to cyclic fatigue. Studies have shown that an increase in resistance to cyclic fatigue is influenced by advanced metallurgical solutions as well as the kinematics of movement [17–20, 23, 24, 25]. The researchers point out that instruments activated by reciprocating motion have a higher resistance to cyclic fatigue since they are exposed to lower stress compared to instruments with full rotation. De-Deus et al. [20] noticed a small percentage of fractures and deformation rates of glide path instrument with reciprocating motion (R-Pilot) after a previously established micro glide path with the size 08 hand file.

Instruments activated by reciprocating motion show higher cutting efficiency, reduced extrusion of dentin filings, and better centricity compared to instruments with full rotation [20]. According to Keskin et al. [17], WaveOne Gold (Dentsply Sirona) showed greater resistance to cyclic fatigue than R-Pilot, although both are reciprocating instruments, but made of different type of alloy. WaveOne is made of Gold NiTi alloy while R-Pilot is made of M-Wire. In the same study, R-Pilot showed greater resistance to cyclic fatigue than Pro Glider (both from M-Wire), demonstrating less exposure to instrument stress in reciprocating motion.

Generally, the advantages of glide path NiTi files are shorter preparation time, reduced possibility of procedural errors, better maintenance of the original anatomy, less operator and hand fatigue, reduced apical extrusion, and postoperative pain [26, 27]. The possibility of instrument fracture, reduced tactile sensation, and instruments' cost are disadvantages of using mechanical glide path systems [22].

## CONCLUSION

Although glide path preparation requires time and adherence to technical protocols, it is one of the crucial stages during the processing of complex endodontic systems. Proper creation of a glide path can extend the life of mechanical NiTi instruments and impact the necessary quality control of mechanical and chemical debridement and predictable, hermetic obturation. Although the development of new methods and mechanical glide path systems is intensive, the role of manual instruments should not be neglected, and it is up to the therapist to decide on a specific method and system, depending on the diagnosis, canal morphology, and primarily on knowledge, experience, and technical capabilities.

**Ethics:** This article was written in accordance with the ethical standards of the institutions and the journal.

**Conflict of interest:** None declared.

## REFERENCES

- Chaniotis A, Ordinola-Zapata R. Present status and future directions: Management of curved and calcified root canals. *Int Endod J*. 2022;55 Suppl 3:656–84. [DOI: 10.1111/iej.1368] [PMID: 35106792]
- Schäfer E, Vlassis M. Comparative investigation of two rotary nickel-titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth. *Int Endod J*. 2004;37(4):239–48. [DOI: 10.1111/j.0143-2885.2004.00783.x] [PMID: 15056350]
- Jovanović-Medojević M, Pelešić M, Nešković J, Popović-Bajić M, Stratimirović Đ, Živković S. Analysis of working surface in new manual and rotary endodontic instruments (scanning electron microscopy). *Srp Arh Celok Lek*. 2020;148(7–8):398–403. [DOI: 10.2298/SARH190704018J]
- Jovanović-Medojević M, Dragičević A, Milanović I, Matija L, Živković S. Opto-magnetic imaging spectroscopy in analyzing rotary NiTi endodontic instruments. *J Mech Behav Biomed Mater*. 2023;141:105789. [DOI: 10.1016/j.jmbm.2023.105789] [PMID: 36989872]
- Chan WS, Gulati K, Peters OA. Advancing Nitinol: From heat treatment to surface functionalization for nickel-titanium (NiTi) instruments in endodontics. *Bioact Mater*. 2022;22:91–111. [DOI: 10.1016/j.bioactmat.2022.09.008] [PMID: 36203965]
- Pillay M, Vorster M, van der Vyver PJ. Fracture of endodontic instruments - Part 1: Literature review on factors that influence instrument breakage. *SADJ*. 2020;75(10):553–63. [DOI: 10.17159/2519-0105/2020/v75no10a4]
- Plotino G, Nagendrababu V, Bukiet F, Grande NM, Veettil SK, De-Deus G, et al. Influence of Negotiation, Glide Path, and Preflaring Procedures on Root Canal Shaping-Terminology, Basic Concepts, and a Systematic Review. *J Endod*. 2020;46(6):707–29. [DOI: 10.1016/j.joen.2020.01.023.hal-03189268] [PMID: 32334856]
- Ajina M, Billis G, Chong BS. The Effect of Glide Path Preparation on Root Canal Shaping Procedures and Outcomes. *Eur Endod J*. 2022;7(2):92–105. [DOI: 10.14744/eej.2022.97659] [PMID: 35786583]
- West JD. The endodontic Glidpath: "Secret to rotary safety". *Dent Today*. 2010;29(9):86, 88, 90–3. [PMID: 20973422]
- Ruddle CJ, Machtou P, West JD. Endodontic canal preparation: innovations in glide path management and shaping canals. *Dent Today*. 2014;33(7):118–23. [PMID: 25118526]
- Berutti E, Cantatore G, Castellucci A, Chiandussi G, Pera F, Migliaretti G, et al. Use of nickel-titanium rotary PathFile to create the glide path: comparison with manual preflaring in simulated root canals. *J Endod*. 2009;35(3):408–12. [DOI: 10.1016/j.joen.2008.11.021] [PMID: 19249606]
- Patiño PV, Biedma BM, Liébana CR, Cantatore G, Bahillo JG. The influence of a manual glide path on the separation rate of NiTi rotary instruments. *J Endod*. 2005;31(2):114–6. [DOI: 10.1097/01.don.0000136209.28647.13] [PMID: 15671822]
- Blum JY, Machtou P, Ruddle C, Micallef JP. Analysis of mechanical preparations in extracted teeth using ProTaper rotary instruments: value of the safety quotient. *J Endod*. 2003;29(9):567–75. [DOI: 10.1097/00004770-200309000-00007] [PMID: 14503829]
- van der Vyver PJ, Vorster M, Paleker F, de Wet FA. Glide path preparation in Endodontics: case report and a literature review of available materials and techniques. *J South Afr Dental J*. 2019;74(3):129–36. [DOI: 10.17159/2519-0105/2019/v74no3a5]
- Miró GB, Tomazinho FSF, Pelisser E, Borges MMB, Duarte MAH, Vivan RR, et al. Comparison of Canal Transportation and Centering Ability of ProGlider and WaveOne Gold Glider in Curved Canals. *Eur J Dent*. 2020;14(4):639–43. [DOI: 10.1055/s-0040-1715780] [PMID: 32869224]
- Küden C, Yoldas O, Evlice B, Yilmaz S, Dumani A. Influence of establishing a glide path on the amount of apically extruded debris and the preservation of root canal anatomy. *Cukurova Med J*. 2022;47(1):241–9. [DOI: 10.17826/cumj.1024096]
- Keskin C, Sivas Yilmaz Ö, Inan U, Özdemir Ö. Postoperative pain after glide path preparation using manual, reciprocating and continuous rotary instruments: a randomized clinical trial. *Int Endod J*. 2019;52(5):579–87. [DOI: 10.1111/iej.13053] [PMID: 30536837]
- Liu JY, Zhou ZX, Tseng WJ, Karabucak B. Comparison of canal transportation and centering ability of manual K-files and reciprocating files in glide path preparation: a micro-computed tomography study of constricted canals. *BMC Oral Health*. 2021;21(1):83. [DOI: 10.1186/s12903-021-01440-3] [PMID: 33622296]
- Soni P, Kumar P, Taneja S, Jain A. Effect of glide path files with different metallurgy on intracanal bacterial extrusion by HyFlex electrical discharge machining file: An in vitro study. *Endodontology*. 2022;34(3):168–72. [DOI: 10.4103/endo.endo\_39\_22]
- De-Deus G, Cardoso ML, Simões-Carvalho M, Silva E, Belladonna FG, Cavalcante DM, et al. Glide Path with Reciprocating Driven Pathfinding Instrument: Performance and Fracture Rate. *J Endod*. 2021;47(1):100–4. [DOI: 10.1016/j.joen.2020.09.015] [PMID: 33045262]
- Biasillo V, Panzetta C, Staffoli S, Castagnola R, Colangeli M, Minciocchi I, et al. Comparison of shaping ability of the Reciproc Blue and One Curve with or without glide path in simulated S-shaped root canals. *Restor Dent Endod*. 2022;47(1):e3. [DOI: 10.5395/rde.2022.47.e3] [PMID: 36578274]
- Sivas Yilmaz Ö. "Glide Path" in endodontics. *Turk Endod J*. 2021;6(1):24–30. [DOI: 10.14744/TEJ.2021.02996]
- Capar ID, Kaval ME, Ertas H, Sen BH. Comparison of the cyclic fatigue resistance of 5 different rotary pathfinding instruments made of conventional nickel-titanium wire, M-wire, and controlled memory wire. *J Endod*. 2015;41(4):535–8. [DOI: 10.1016/j.joen.2014.11.008] [PMID: 25510361]
- Al-Sudani D, Plotino G, Grande N, Rengo S, Simeone M. Cyclic fatigue of glide path rotary NiTi files in a double (S-Shaped) simulated curvature. *Dentistry*. 2016;6(1):1000355. [DOI: 10.4172/2161-1122.1000355]
- Abu-Tahun IH, Kwak SW, Ha JH, Sigurdsson A, Kayahan MB, Kim HC. Effective establishment of glide-path to reduce torsional stress during nickel-titanium rotary instrumentation. *Materials*. 2019;12(3):493. [DOI: 10.3390/ma12030493] [PMID: 30764565]
- Araújo LBB, Calefi PHS, Alcalde MP, Gavini G, Vivan RR, Duarte MAH. Impact of kinematics on the efficiency and safety of an engine-driven file for glide path preparation in MB2 canals of maxillary molars. *Clin Oral Investig*. 2023;27(3):1153–8. [DOI: 10.1007/s00784-022-04712-6] [PMID: 36104605]
- Kurt Ö, Zengin T, Üstün Y. Comparison of the effect of different glide path files on amount of apically extruded debris in curved root canals. *Aust Endod J*. 2023. Online ahead of print. [DOI: 10.1111/aej.12749] [PMID: 36946545]

## Ендодонтски инструментациони пут – значај и технике извођења

Милица Јовановић-Медојевић<sup>1</sup>, Миљан Стошић<sup>2</sup>, Вања Опачић-Галић<sup>1</sup>, Виолета Петровић<sup>1</sup>

<sup>1</sup>Универзитет у Београду, Стоматолошки факултет, Клиника за болести зуба и ендодонцију, Београд, Србија;

<sup>2</sup>Универзитет у Београду, Стоматолошки факултет, Београд, Србија

### САЖЕТАК

Формирање инструментационе путање је процедура која претходи машинској препарацији канала корена. Подразумева успостављање/проширење јасног и глатког каналског тунела од његовог коронарног дела до апексне констрикције. Може се формирати ручним турпијама малог промера од нерђајућег челика, као и специјално дизајнираним машинским никл-титанијумским инструментима. Инструментациона путања продужава трајање машинских инструмената,

омогућава ефикасније чишћење и дезинфекцију канала, као и очување оригиналне морфологије ендодонтског простора током даље машинске инструментације. Све чешћа примена машинске инструментације у свакодневној пракси намеће потребу за бољим разумевањем ове процедуре, њеног значаја и начина формирања.

**Кључне речи:** инструментациона путања; ручни инструменти; машински *NiTi* инструменти